What is claimed is:

1. A method for communicating, comprising the steps of:

    (a) accessing a conversation representation;

    (b) selecting the conversation representation;

    (c) obtaining an internal representation of a conversation element associated with the conversation representation; and,

    (d) generating an audible utterance based on the internal conversation element.

2. The method of claim 1, further comprising the step of accessing a plurality of conversation representations and selecting a first and a second conversation representation.

3. The method of claim 1, wherein the conversation representation is a mechanical device.

4. The method of claim 3, wherein the mechanical device is a button.

5. The method of claim 1, wherein the conversation representation is in a Graphic User Interface ("GUI").

-43-

6.   The method of claim 1, wherein the conversation representation is selected from a group consisting of an icon, a symbol, a figure, a graph, a checkbox, a GUI widget and a graphics button.

7.   The method of claim 1, wherein the conversation representation is selected from a group consisting of a text and a label.

8.   The method of claim 1, further comprising the step of altering the conversation representation.

9   The method of claim 1, further comparing the step of altering the conversation element.

10.   The method of claim 1, further comprising the step of deleting the conversation representation.

11.   The method of claim 1, further comprising the step of deleting the conversation element.

12.   The method of claim 1, further comprising the step of adding the conversation element.

13.   The method of claim 1, further comprising the step of adding the conversation representation.

14.   The method of claim 1, further comprising the step of altering an association between the conversation representation and the conversation element.

15.   The method of claim 1, further comprising the step of recording a conversation element.

16.   The method of claim 1, further comprising the step of downloading the conversation representation and the conversation element from a host computer.

17.   The method of claim 1, further comprising the step of uploading the conversation representation and the conversation element to a host computer.

18.   The method of claim 15, wherein the recording step includes text-to-speech processing.